



Hose Clamp with Worm-Gear

Standard clamp for fastening light hose types to connecting pieces on mobile and stationary installations

Product Details

Construction / Material

- Clamp Design: clamp band designed with a band width of approx. 12 mm, clamp band designed with a band thickness of approx. 0.5 - 1 mm, clamp with housing, worm thread and clamping screw, clamping screw in sizes M5-M10 designed as slotted hexagon screw
- Material of the clamp: galvanised steel

Properties

- Chemical Properties: rust-protected

Operating Temperature

Delivery Information

Application Areas

Customizing Options

Article Variants

Article number	Clamping range mm
002038	20 - 35
002040	27 - 45
002042	35 - 55
002044	45 - 65

Article number	Clamping range mm
002046	55 - 75
002048	65 - 85
002050	75 - 95
002052	85 - 105
002054	95 - 115
002056	105 - 125
002058	115 - 135
002060	125 - 145
002062	135 - 155
002064	145 - 165
002066	155 - 175
002068	165 - 185
002070	175 - 195
002072	185 - 205
002073	195 - 215
002075	205 - 225
002077	215 - 235
002079	225 - 245
002080	235 - 255
002082	245 - 265
002084	255 - 275
002085	265 - 285
002087	275 - 295
002089	285 - 305
002091	295 - 315
002093	305 - 325
002095	315 - 335
002096	335 - 355
002097	345 - 365
002099	365 - 385
002100	375 - 395
002101	385 - 405
002102	395 - 415
002104	405 - 425
002105	435 - 455
002106	450 - 470

Subject to technical changes and colour deviations

Delivery Variants

Available in other lengths, other nominal diameters, with customer-specific customer-specific imprint.

Disposal instructions

After use, the product must be disposed of in accordance with the legal regulations applicable in the user's region (in Germany in accordance with the applicable Waste Catalogue Ordinance (AVV)).

Individual consultation

We offer consultation by
phone:
+49 209 97077-112

Product requests via
[masterflex.de/en](https://www.masterflex.de/en)

Address Headquarters

Masterflex SE
Willy-Brandt-Allee 300
45981 Gelsenkirchen

